

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	10	("5721864" "5802566" "5809529" "5915104" "6012106" "6157977").PN. OR ("6341334").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/05/16 12:13
L3	42	("5594882" "5664117" "5673399" "5761450" "5761461" "5771359").PN. OR ("5915104").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/05/16 11:48
L4	11	(determin\$4 with bus with (available or free) with (error or fault\$4 or fail\$4) with (indicat\$4 or alert\$4 or notif\$5))	US-PGPUB; USPAT; USOCR	AND	ON	2006/05/16 12:44
L5	86	(determin\$4 with bus with (available or free) with (error or fault\$4 or fail\$4))	US-PGPUB; USPAT; USOCR	AND	ON	2006/05/16 15:39
L6	1542	(determin\$4 with bus with (available or free))	US-PGPUB; USPAT; USOCR	AND	ON	2006/05/16 13:32
L7	204	I6 same (data adj3 (transfer\$4 or send\$4 or receiv\$4))	US-PGPUB; USPAT; USOCR	AND	ON	2006/05/16 13:32
L9	11	I6 same (data adj3 (transfer\$4 or send\$4 or receiv\$4)) same ((error or fault\$4 or fail\$4) with (indicat\$4 or notif\$4 or alert\$4))	US-PGPUB; USPAT; USOCR	AND	ON	2006/05/16 13:33
L10	4498	(determin\$4 with (bus or link) with (available or free))	US-PGPUB; USPAT; USOCR	AND	ON	2006/05/16 13:32
L11	337	I10 same (data adj3 (transfer\$4 or send\$4 or receiv\$4))	US-PGPUB; USPAT; USOCR	AND	ON	2006/05/16 13:33
L12	15	I10 same (data adj3 (transfer\$4 or send\$4 or receiv\$4)) same ((error or fault\$4 or fail\$4) with (indicat\$4 or notif\$4 or alert\$4))	US-PGPUB; USPAT; USOCR	AND	ON	2006/05/16 13:36
L13	49	((bus or link) with (free or available)) same (data adj3 (transfer\$4 or send\$4 or receiv\$4)) same ((error or fault\$4 or fail\$4) with (bus or link) with (indicat\$4 or notif\$4 or alert\$4))	US-PGPUB; USPAT; USOCR	AND	ON	2006/05/16 14:20
L14	1948	((bus or link) with (controller or bridge or manager or isolator)) and (data adj3 (transfer\$4 or send\$4 or receiv\$4)) and ((program adj2 memory) and (flash adj memory))	US-PGPUB; USPAT; USOCR	AND	ON	2006/05/16 14:23

EAST Search History

L15	216	((bus or link) with (controller or bridge or manager or isolator)) and (data adj3 (transfer\$4 or send\$4 or receiv\$4)) and ((program adj2 memory) and ((flash adj memory) with configuration))	US-PGPUB; USPAT; USOCR	AND	ON	2006/05/16 14:23
L17	34	((data adj (send\$4 or receiv\$4 or transmit\$4 or transfer\$4)) with (time adj out)) same ((bus or link) with (controller or manager or isolator or bridge))	US-PGPUB; USPAT; USOCR	AND	ON	2006/05/16 15:46
L18	90	((data adj (send\$4 or receiv\$4 or transmit\$4 or transfer\$4)) same (time adj out)) same ((bus or link) with (controller or manager or isolator or bridge))	US-PGPUB; USPAT; USOCR	AND	ON	2006/05/16 15:49
L19	2	((data adj (send\$4 or receiv\$4 or transmit\$4 or transfer\$4)) with (time) with exceed\$4 with (value or threshold)) same ((bus or link) with (controller or manager or isolator or bridge))	US-PGPUB; USPAT; USOCR	AND	ON	2006/05/16 15:51
L20	118	((data adj (send\$4 or receiv\$4 or transmit\$4 or transfer\$4)) with (timer)) same ((bus or link) with (controller or manager or isolator or bridge))	US-PGPUB; USPAT; USOCR	AND	ON	2006/05/16 15:52
L21	0	(data adj (send\$4 or receiv\$4 or transmit\$4 or transfer\$4)) same ((bus or link) with (controller or manager or isolator or bridge)) same ((error or fault\$2 or fail\$4) with (more or exceed or greater) with (time) with (value or threshold))	US-PGPUB; USPAT; USOCR	AND	ON	2006/05/16 15:53
L22	126	(data adj (send\$4 or receiv\$4 or transmit\$4 or transfer\$4)) same ((error or fault\$2 or fail\$4) with (more or exceed or greater) with (time) with (value or threshold))	US-PGPUB; USPAT; USOCR	AND	ON	2006/05/16 15:57
L23	321	(data adj (receiv\$4 or arriv\$4) adj2 time) same (error or fault\$4 or fail\$4 or corruption)	US-PGPUB; USPAT; USOCR	AND	ON	2006/05/16 16:26
L24	8	l23 and ((bus or link) adj (controller or manager or isolator or bridge))	US-PGPUB; USPAT; USOCR	AND	ON	2006/05/16 15:59
L25	2	((bus or link) adj (controller or bridge or manager or isolator)) same ((cpu or \$5processor) with (debug adj (port or interface)))	US-PGPUB; USPAT; USOCR	AND	ON	2006/05/16 16:27

EAST Search History

L26	72	(controller or bridge or manager or isolator) same ((cpu or \$5processor) with (debug adj (port or interface)))	US-PGPUB; USPAT; USOCR	AND	ON	2006/05/16 16:27
S1	749	(714/43).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/10 15:36
S2	32	((("i/o" or "io" or "input/output") adj2 (circuit or adapter)) with (peripheral or device)) and (((bus or pci) adj2 (controller or adapter) with interface) and ((controller or \$5processor or cpu or (state adj machine)) with (verif\$5 or detect\$4 or determin\$4) with data with (error or corruption or fail\$4 or fault\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2006/05/10 17:43
S4	1	("5991900").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/12 17:04
S5	1092	(710/107).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/10 17:55
S6	1763	(710/305).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/10 17:55
S7	749	(714/43).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/10 17:55
S8	1092	(710/107).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/11 10:21
S9	1764	(710/305).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/11 10:20
S10	749	(714/43).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/11 10:20
S11	2766	(S9 or S8) not S10	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2006/05/11 10:20
S12	1085	S8 not S10	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2006/05/11 13:16
S13	1092	(710/107).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/11 13:16

EAST Search History

S14	1764	(710/305).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/11 13:16
S15	749	(714/43).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/11 13:16
S16	1085	S13 not S15	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2006/05/11 13:16
S17	1690	S14 not S16	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2006/05/11 13:16
S18	654	((bus or link or line or (io or "i/o" or "input/output")) adj2 (controller or bridge or adapter or manager)) same (data with (verif\$5 or determin\$4 or detect\$4) with (error or fault\$2 or fail\$4 or corruption))	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2006/05/11 16:22
S19	255	(bus adj2 (controller or bridge or adapter or manager)) same (data with (verif\$5 or determin\$4 or detect\$4) with (error or fault\$2 or fail\$4 or corruption))	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2006/05/11 17:35
S21	618	(710/240).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/11 17:20
S22	480	S21 not (S13 or S14 or S15)	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2006/05/11 17:23
S23	168	(714/56).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/11 17:23
S24	100	S23 not (S13 or S14 or S15)	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2006/05/11 17:23
S25	321	(bus adj2 (controller or bridge or adapter or manager)) same ((master or primary or first or active) adj3 (interface)) same ((second\$4 or slave or target or passive) adj3 interface)	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2006/05/11 17:37
S26	87	S25 and ((error or fault\$4 or fail\$4 or corruption) adj3 (determin\$4 or detect\$4 or isolat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2006/05/11 18:04

EAST Search History

S27	269	(bus adj isolat\$4) with (circuit or interface or adapter or controller or module or component)	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2006/05/12 14:09
S28	40	("3818458" "3906454" "4040025" "4166290" "4303987" "4351059" "4363123" "4367525" "4425643" "4434488" "4489414" "4498716" "Re31407").PN. OR ("4628511"). URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/05/11 18:06
S29	124	("4340932" "4864601" "5129069" "5402528").PN. OR ("5608876"). URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/05/11 18:16
S30	2	((("io" or "i/o" or "input/output") adj2 (device or peripheral)) with (bus adj (bridge or controller or manager or buffer))) same ((verif\$4 or valid\$4 or check\$4 or determin\$4 or detect\$4) with (data or message) with (error or fault\$4 or corruption or fail\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2006/05/12 14:13
S31	6	((("io" or "i/o" or "input/output") adj2 (device or peripheral)) same (bus adj (bridge or controller or manager or buffer))) same ((verif\$4 or valid\$4 or check\$4 or determin\$4 or detect\$4) with (data or message) with (error or fault\$4 or corruption or fail\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2006/05/12 14:19
S32	2906	((("io" or "i/o" or "input/output") adj2 (device or peripheral)) same (bus adj (bridge or controller or manager or buffer)))	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2006/05/12 14:27
S33	359	S32 and ((verif\$4 or valid\$4 or check\$4 or determin\$4 or detect\$4) with (data or message) with (error or fault\$4 or corruption or fail\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2006/05/12 14:24
S34	2768	(bus adj (bridge or controller or manager)) same ((stor\$4 or buffer\$4 or cach\$4) adj3 (message or data))	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2006/05/12 14:28
S35	522	S34 and ((verif\$4 or valid\$4 or check\$4 or determin\$4 or detect\$4) with (data or message) with (error or fault\$4 or corruption or fail\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2006/05/12 15:57
S36	1	("6134623").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/12 15:57

EAST Search History

S37	6	("5448704" "5522050" "5634033" "5664117" "5724613" "5734924").PN. OR ("6134623").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/05/12 16:02
S38	0	((bus or pci) adj (bridge or controller)) same (data with tranfer\$4 with (check\$4 or verif\$4 or valid\$4))	US-PGPUB; USPAT; USOCR	AND	ON	2006/05/12 16:16
S39	48	((bus or pci) adj (bridge or controller)) same (data adj3 buffer) same ((verif\$4 or valid\$4 or check\$4 or determin\$4 or detect\$4) with (data or message) with (error or fault\$4 or corruption or fail\$4))	US-PGPUB; USPAT; USOCR	AND	ON	2006/05/12 16:40
S40	784	((bridge or controller)) same (data adj3 buffer) same ((verif\$4 or valid\$4 or check\$4 or determin\$4 or detect\$4) with (data or message) with (error or fault\$4 or corruption or fail\$4))	US-PGPUB; USPAT; USOCR	AND	ON	2006/05/12 16:45
S41	0	((isolator)) same (data adj3 (buffer\$4 or stor\$4 or cach\$4)) same ((verif\$4 or valid\$4 or check\$4 or determin\$4 or detect\$4) with (data or message) with (error or fault\$4 or corruption or fail\$4))	US-PGPUB; USPAT; USOCR	AND	ON	2006/05/12 16:47
S42	2552	((bridge or controller)) same (data adj3 (buffer\$4 or stor\$4 or cach\$4)) same ((verif\$4 or valid\$4 or check\$4 or determin\$4 or detect\$4) with (data or message) with (error or fault\$4 or corruption or fail\$4))	US-PGPUB; USPAT; USOCR	AND	ON	2006/05/12 16:51
S43	479	(710/310).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/12 17:00
S44	63	S43 and ((verif\$4 or valid\$4 or check\$4 or determin\$4 or detect\$4) with (data or message) with (error or fault\$4 or corruption or fail\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2006/05/12 16:52
S45	219	(710/311).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/12 17:01
S46	36	S45 and ((verif\$4 or valid\$4 or check\$4 or determin\$4 or detect\$4) with (data or message) with (error or fault\$4 or corruption or fail\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2006/05/12 17:15
S47	1	("5991900").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/12 17:04

EAST Search History

S48	1	S47 and (processor with read)	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2006/05/12 17:05
S49	1	S47 and (processing with set with read)	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2006/05/12 17:05
S50	13210	(bridge or controller) same ((verif\$4 or valid\$4 or check\$4 or determin\$4 or detect\$4) with (data or message) with (error or fault\$4 or corruption or fail\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2006/05/12 17:35
S51	7859	(bridge or controller) with ((verif\$4 or valid\$4 or check\$4 or determin\$4 or detect\$4) with (data or message) with (error or fault\$4 or corruption or fail\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2006/05/12 17:18
S52	1391	S51 and (data with (read or write) with (request or message))	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2006/05/12 17:34
S53	17	(bus adj controller).ti. and (data with (read or write) with (request or message))	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2006/05/12 17:34
S54	50	(bus adj (bridge or controller)).ti. ((verif\$4 or valid\$4 or check\$4 or determin\$4 or detect\$4) with (data or message) with (error or fault\$4 or corruption or fail\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2006/05/12 18:07
S55	12	("5555383" "5768602" "5864653" "5878238" "5887194" "5983306").PN. OR ("6145044").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/05/12 17:40
S56	1	(data adj3 (read\$4 or writ\$4 or transfer\$4) adj3 (request or command or message)) same ((bus or pci) adj2 (controller or bridge)) same (data adj3 (error or corruption or fail\$4 or fault\$) adj3 (verif\$4 or determin\$4 or detect\$4 or check\$4 or valid\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2006/05/12 18:13

EAST Search History

S57	148	(data with (read\$4 or writ\$4 or transfer\$4) with (request or command or message)) same ((bus or pci) with (controller or bridge)) same (data with (error or corruption or fail\$4 or fault\$) with (verif\$4 or determin\$4 or detect\$4 or check\$4 or valid\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2006/05/12 19:39
S65	6	(data adj transfer\$4) same (flash adj memory) same (buffer\$4 or cach\$4) same (bus adj (controller or manager or bridge or isolator))	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2006/05/15 09:31
S66	680	(data adj transfer\$4) same (buffer\$4 or cach\$4) same (bus adj (controller or manager or bridge or isolator))	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2006/05/16 09:37
S67	8179	(data adj (send\$4 or receiv\$4 or transfer\$4)) and (bus adj (controller or manager or isolator or bridge)) and (bus with (fail\$4 or error or fault\$4 or \$3connect\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2006/05/16 09:49
S68	204	((data adj (send\$4 or receiv\$4 or transfer\$4)) with success\$4) and (bus adj (controller or manager or isolator or bridge)) and (bus with (fail\$4 or error or fault\$4 or \$3connect\$4) with (indicat\$4 or signal\$4 or notif\$4 or alert\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2006/05/16 10:00
S69	752	(714/43).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/16 09:58
S70	2	S68 and S69	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2006/05/16 09:58
S71	110	((data adj (send\$4 or receiv\$4 or transfer\$4)) with success\$4) and (bus adj (controller or manager or isolator or bridge)) and (bus with (fail\$4 or error or fault\$4 or \$3connect\$4) with (indicat\$4 or alert\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2006/05/16 10:03
S72	85	((data adj (send\$4 or receiv\$4 or transfer\$4)) with success\$4) and (bus adj (controller or manager or isolator or bridge)) and (bus with (fail\$4 or error or fault\$4) with (indicat\$4 or alert\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2006/05/16 10:04

EAST Search History

S73	0	(data adj2 (buffer\$4 or cach\$4 or stor\$4) ajd3 (local\$4)) and S72	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2006/05/16 10:05
S74	0	(data adj2 (buffer\$4 or cach\$4 or stor\$4) ajd3 (local\$4)) and S67	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2006/05/16 10:05
S75	0	(data adj2 (buffer\$4 or cach\$4 or stor\$4) ajd3 (local\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2006/05/16 10:05
S77	213	(data with (buffer\$4 or cach\$4 or stor\$4) with (local\$4) with (controller or bridge or manager or isolator)) same (bus adj (controller or bridge or manager or isolator))	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2006/05/16 10:37
S78	6	(data with (buffer\$4 or cach\$4 or stor\$4) with (local\$4) with (controller or bridge or manager or isolator) with (determin\$4)) same (bus adj (controller or bridge or manager or isolator))	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	ON	2006/05/16 10:37